GEDA®
MINI 60 S
MAXI 120 S
MAXI 150 S

**Fast and safe material transport**

Fast assembly

Ideal for scaffolders, decorators and façade specialists

Comprehensive safety features

Variety of load handling devices

GEDA MINI / MAXI

With two lifting speeds, easy assembly and extensive safety features, the convenient rope hoists from the GEDA Mini/Maxi range are the ideal helpers for efficient, yet safe transport of scaffolding elements and construction materials.

The manual drive of the rope drum is not transported upwards, but simply fastened to the scaffolding at the bottom, while the lightweight swivel arm is attached at the top of the scaffold at the desired height. This even allows quick and easy relocation of the rope hoists during different construction phases.

A broad selection of accessories and load handling devices turns the compact rope hoists into true all-round talents at construction sites. Whether bulky scaffolding elements, loaded wheelbarrows, buckets or other construction materials – the GEDA rope hoists from the Mini/Maxi range have been known in the construction industry for decades and ensure easy and efficient material transport at the press of a button.

GEDA®
MINI 60 S

Technical data:

60 kg
40/70 m
23/69 m/min
0.25/0.75 kW/ 230 V/50 Hz/16 A

GEDA®
MAXI 120 S

Technical data:

120 kg
40/70 m
20/60 m/min
0.45/1.35 kW/ 230 V/50 Hz/16 A

110 V-version also available!

GEDA®
MAXI 150 S

Want double payload?
Take it easy with GEDA!

Increase the load capacity of your GEDA MAXI 150 S only with a few accessories.*

Swivel arm (300 kg)
Art. No. 01272

Pulley block (300 kg)
Art. No. 01273

Additional weight
Art. No. 56956

*The technical data of the GEDA MAXI 150 S change as follows:
Load capacity 300 kg; Lifting height 16/26 m; Lifting speed 7/21 m/min

Technical data:

150 kg

40/70 m

15/45 m/min

0.45/1.35 kW/
230 V/50 Hz/16 A

GEDA® MINI / MAXI

GEDA MINI / MAXI

The quick and safe hoist for transporting material on a scaffold

Easy placement of the rope on the swivel arm without having to dismantle the rollers

An integrated limit switch turns it off on reaching the swivel arm, when overloaded or caught on the scaffold.

The motor stops when the rope slackens; the rope remains tight on the drum

Swivel arm:

Swivel arm
Art. No. 05711

Swivel arm support
Art. No. 29497

Landing level safety gates:

Simple
Art. No. 01206

ECO S
Art. No. 42500

Accessories/Load carrying devices:

Hook
Art. No. 01408

Hook tie for 5 hooks
Art. No. 01827

Rope
Art. No. 03066

**Bucket ring for 4 buckets**
Art. No. 01812

Tipping container 65 l
Art. No. 01814

Mortar skip 65 l
Art. No. 01815

Lifting sling
Art. No. 01432

Bucket hanger for 2 buckets
Art. No. 01810

Bucket hanger for 4 buckets
Art. No. 01811

Brick cage
Art. No. 01816

Chain sling for wheelbarrow
Art. No. 01817

Board lifting frame
Art. No. 01819

Delivery cage
Art. No. 01820

Transport trolley
Art. No. 47760

Padlock
Art. No. 01429

For further accessories visit: www.geda.de